



We offer care products for all our furniture, which are effective and easy to use. A maintenance regime, once or twice a year will keep your furniture in prime condition. You can purchase our Care Products from your local Barlow Tyrie Stockist.

Teak Oil

Product Code 4TO Our Teak Oil contains linseed oil and is suitable for use on new and aged teak.



Instructions For Use

- If you wish to maintain the 'just bought' look of your furniture we offer the following as a guide to the best results. Teak oil or stain, should be applied before the furniture begins to weather and change colour.
- Ensure the furniture is dry and free of any dust or dirt and apply one light coat of oil with a clean cloth or brush, wiping off any surplus.
- Teak oil should not be applied over accumulated oil or dirt as the result will be dark and the furniture will eventually blacken.
- If necessary, remove previous oil or dirt by vigorous scrubbing or sanding. Re-oiling annually should be sufficient.



BarlowTyrie

Est 1920

Care of Furniture Videos

Our knowledgeable Customer Service Technician Mick Taylor has put together some handy care of furniture videos. These can be viewed on our website or via our YouTube channel.

All videos - [Care of Furniture](#)

Teak

[How to Transform Weathered Teak Furniture](#)

Vimeo: [How to Transform Weathered Teak Furniture](#)

YouTube: [How to Transform Weathered Teak Furniture](#)



[How to Clean Teak Garden Furniture](#)

Vimeo: [How to Clean Teak Garden Furniture](#)

YouTube: [How to Clean Teak Garden Furniture](#)





BarlowTyrie

Est 1920

Technical Information

Properties	<ul style="list-style-type: none">• Store at a temperature above 5°C• Keep away from sources of ignition
Physical Properties	<ul style="list-style-type: none">• VOC level: 410g/litre
Chemical Ingredients	<ul style="list-style-type: none">• Petroleum• Portuguese Gum Turpentine
Other Ingredients	<ul style="list-style-type: none">• Tung Oil• Linseed Oil
Application Tools	<ul style="list-style-type: none">• Clean, white lint free cotton cloth or brush• Protective gloves• Eye protection• Application in open air or well-ventilated areas• See instructions on label
Disposal	<ul style="list-style-type: none">• Rags used for Teak Oil should not be left rolled or screwed up as they can spontaneously combust• Either spread out to dry or put in a container with water• Once finished with bottle, transfer to a suitable container and arrange for collection by specialised disposal company• Harmful and toxic to aquatic life with long lasting effects• Do not allow product to reach ground water, water course or sewage system• Dispose of waste correctly and responsibly• Contact your local authority for correct waste disposal procedures and services in your area
Coverage	Approximately 10 - 12 m ² / litre

Important – keep out of reach of children

Repair & Maintenance Queries

UK and rest of world – contact uksales@teak.com

USA – contact usales@teak.com

Before carrying out repairs to your furniture, please read our [Barlow Tyrie Warranty](#)